




REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
ALL	A	INITIAL RELEASE	3/28/25	3/28/25
ALL	A1	ADDED MOUNTING DIMENSIONS	11/17/25	11/17/25



FIXTURE WEIGHT (W/OUT CABLE) = 6 lbs - 6oz
 115VAC, 60Hz, INPUT
 10WATT, WHITE LIGHT OUTPUT
 (SSL-840-RR-D-C-NE-120 SHOWN)


SERIES	COLOR	FACE	MOUNT	EMERGENCY	VOLTAGE
SSL-840-	RR- (RED) GR- (GREEN)	S- (SINGLE FACE) D- (DOUBLE FACE)	W- (WALL) C- (CEILING) E- (END)	NE- (NON EM) EM- (EM)	120VAC

UNLESS OTHERWISE SPECIFIED:
 DIMENSIONS ARE IN INCHES
 TOLERANCES:
 ANGULAR ± .05DG
 TWO PLACE DECIMAL ±0.01
 THREE PLACE DECIMAL ±0.005

MATERIAL	N/A	CHECKED	DARRELL P.
FINISH	POWDERCOAT	ENG APPR.	DARRELL P.
DO NOT SCALE DRAWING		MFG APPR.	DARRELL P.

NAME: DARRELL P. DATE: 3/28/25
 LLS EXIT LIGHT FIXTURE
 SIZE: D DWG. NO.: SSL-840-XX-X-X-120 REV: A
 SCALE: 1:1/2 CAGE CODE: 6Q972 SHEET 1 OF 3

EXIT LIGHT MOUNTING DIMENSIONS



EXIT LIGHT MOUNTING DIMENSIONS

